

davide groppi

NOVELTIES 2023

/ **Novelties 2023**

Mi piace pensare alle nostre lampade come a piccole invenzioni capaci, con molta semplicità, di emozionare e sorprendere. E, ogni volta, lo scopo della mia ricerca è dimostrare qualcosa di nuovo, mai visto prima. Con questi sentimenti ho creato e selezionato una nuova collezione di lampade.

I like to think of our lamps as small and very simple inventions that thrill and surprise. And each time, the aim of my research is to demonstrate something new, never seen before. These are the sentiments I used to create and select a new collection of lamps.

La riduzione puntuale di Infinito.

L'evocazione di un buco nero da cui non esce nemmeno la luce.
Asintoto è, invece, un luogo da cui la luce riesce a scappare e pervade lo spazio di meraviglia e capienza.

Astrazione, purezza, segno grafico.

Spento, il disco appare enigmatico, presenza simbolica dell'assenza della luce.

The projected reduction of Infinito.

The evocation of a black hole from which not even light escapes.
Asintoto is, instead, a place in which light is able to escape, pervading the space with wonder and spaciousness.

Abstraction, purity, graphic sign.

Switched off, the disc appears enigmatic, the symbolic presence of the absence of light.

ASINTOTO

Davide Groppi, 2023




ASINTOTO

Finish	Gravity Black Blue Fluo Orange Fluo
Mounting	Suspension
Environment	Indoor
CCT- System flux	2700K ~ 2610 lm 3000K ~ 2680 lm
CRI	>80
Insulation class	III
Power	18 W LED
LED current	500 mA DC
Driver	Remote
Remote dimming type	DALI - PUSH - 1/10 V - TRIAC*

*TRIAC version not available for US and CN market

CE IP20



Un disco bianco, rappresentazione perfetta della luce diffusa.
È applicabile a soffitto o a parete ed è modulabile in tutte le
intensità.

A white disc, the perfect representation of diffused light.
Can be mounted on the wall or ceiling, with modular brightness.


AURORA
Davide Groppi, 2023



AURORA

Lamp not available for US and CN market.

Finish	Matt White Matt Black Copper Oxyde
Mounting	Wall / Ceiling
Environment	Indoor
CCT- System flux	3000K ~ 2700 lm
CRI	80
<hr/>	
Insulation class	I
Frequency	50/60 Hz
Main voltage	110-240 V
Power	28 W LED
Driver	Integrated
Dimming type	DALI - PUSH - 1/10 V



CE IP20



AURORA


Utopia è un progetto sullo stato limite della luce, alla ricerca della dimensione minima necessaria per illuminare in modo puro ed essenziale. Rappresenta la massima flessibilità, sia nel disegno della linea che nella gestione della luce.

Il nastro luminoso si tende nello spazio, piegandosi, interrompendosi, disegnando grafi astratti e misteriosi.

Utopia is a project on the limit state of light, the research for the minimum dimension necessary for pure and essential lighting. It represents full flexibility, in both its design and its light control.

The light strip reaches into space, bending, breaking and drawing abstract, mysterious patterns.

UTOPIA
Davide Groppi, 2023





UTOPIA

Finish	Standard
Mounting	Wall
Environment	Indoor
CCT- System flux	2700K ~ 6600 lm 3000K ~ 7050 lm
CRI	80
Insulation class	III
Main voltage	24 V DC
Power	94 W LED
Driver	Power kit with plug Remote
Dimming type	Dimmer on board* DALI - PUSH - 1/10 V - TRIAC

*Dimmer on board version not available for CN market

CE IP20



Un sistema a binario ridotto al minimo, con minuscoli corpi luminosi, piccoli Colibri che si posano dove necessario.

A minimal track system with tiny lights, small hummingbirds that perch where needed.

COLIBRÌ
Davide Groppi, 2023




COLIBRÌ

Lamp not available for US and CN market.

Finish	Matt White Matt Black
Mounting	Wall / Ceiling
Environment	Indoor



COLIBRÌ 14

Insulation class	III
Main voltage	48 V DC
Power	2,5 W LED
Beam	15° - 30°
CCT- System flux	2700K ~ 90 lm - 94 lm 3000K ~ 99 lm - 103 lm
CRI	>90
Driver	Remote power kit
Remote dimming type	DALI















COLIBRÌ 28




Insulation class	III
Main voltage	48 V DC
Power	3,8 W LED
Beam	16° - 30°
CCT- System flux	2700K ~ 187 lm - 192 lm 3000K ~ 203 lm - 211 lm
CRI	>90
Driver	Remote power kit
Remote dimming type	DALI








COLIBRÌ

COLIBRI - Sistema



Track 1 m Track 2 m Track 3 m	Matt White Matt Black	
Power connector	Matt Black	
Corner joint cover H	Matt White Matt Black	
Corner joint cover V	Matt White Matt Black	
End cap	Matt White Matt Black	
Cover 3 m	Matt White Matt Black	
Pendant gripper	Standard	
Pendant gripper screw	Standard	
Pendant short bracket	Matt White Matt Black	
Pendant long bracket	Matt White Matt Black	
L-joint	Matt Black	
L-feed ceiling wall	Matt Black	

Flexible joint	Matt Black	
Joining connector	Matt Black	
Locking tool for PVC	Standard	

COLIBRI - Sistema incasso

Track 1 m Track 2 m Track 3 m	Matt Black	
Power connector	Matt Black	
End cap	Matt Black	
Cover 1 m Cover 2 m Cover 3 m	Matt White Matt Black	
Template for track	Standard	

Drivers

Driver	Remote power kit - 60 W	
Driver	Remote power kit - 150 W	

Siamo partiti dal buio per rivelare la luce nella sua manifestazione più pura e innocente.

Un piccolo punto nero svela la sua funzione solo quando necessario.

Per noi il segreto della luce non è nella forma, o in alcuni virtuosismi produttivi, ma nella scelta e nell'assunzione di un metodo, il metodo dello stupore e della memoria.


We started with the darkness to reveal the light in its purest and most innocent manifestation.

A small black dot reveals its function only when necessary.

For us the secret of light lies not in its shape, or in some technical virtuosity, but in the choice and assumption of a method, the method of amazement and memory.

BUIO

Maurici Ginés, 2023



BUJO

Finish	Matt Black
Mounting	Wall / Floor / Recessed
Environment	Indoor / Outdoor
CCT- System flux	2700K ~ 260 lm 3000K ~ 290 lm
CRI	90

Insulation class	III
Power	4,5 W LED
LED current	350 mA DC
Driver	Remote
Dimming type	Not dimmable









CE IP67



BUJO



Accessories for installation

Filter support + Bronze filter	Matt Black	
Filter support + Gold filter	Matt Black	
Snoot	Matt Black	
Wall bracket	Stainless Steel	
Ceiling rose	Matt Black	
Earth spike	Stainless Steel	
Installation box trim	Matt Black	
Installation box trimless	Matt Black	

La notte è sempre fonte di ispirazione. Camminiamo e non siamo soli.

Nuit è una piccola compagna di viaggio che disegna i nostri transiti notturni.

Night has always been a source of inspiration. We walk, and we are not alone.

Nuit is a small travel companion that draws our night-time journeys.


NUIT
Maurici Ginés, 2023



NUIT

Lamp not available for US and CN market.

Finish	Matt White Gravity Black Blasted Blue Blasted Inox
Mounting	Wall
Environment	Indoor / Outdoor
CCT- System flux	2700K ~ 45 lm 3000K ~ 50 lm
CRI	90
Insulation class	II
Frequency	50/60 Hz
Main voltage	110-240 V
Power	1 W LED
Driver	Integrated
Dimming type	Not dimmable




CE  IP65



Mi hanno sempre emozionato le lampadine abbandonate, nude.
Sui muri delle case di montagna, nelle campagne della mia
pianura.
Lavori non ancora finiti, lampade ancora da decidere, pensieri
effimeri che diventano poesia.

I have always been thrilled by bare, abandoned lamps.
On the walls of mountain huts, in the countryside of my plain.
Unfinished works, lamps still to be decided, ephemeral thoughts
that become poetry.


HAZARD
Davide Groppi, 2023



HAZARD

Lamp not available for US and CN market.

Finish	Standard
Mounting	Wall
Environment	Outdoor
CCT- System flux	2200K - 50 lm
CRI	80
Insulation class	III
Main voltage	36 V DC
Power	0,6 W LED
Socket	E27
Driver	Remote
Dimming type	Not dimmable



CE IP65



La purezza del cono sospeso racchiude una piccola macchina di luce che produce contemporaneamente luce diretta, indiretta e diffusa.

Sopra al tavolo, Sottosopra: pura, elegante, meravigliosamente efficiente.

The purity of the suspended cone encases a small light machine that produces direct, indirect and diffused light at the same time. Above the table, Sottosopra: pure, elegant, wonderfully efficient.

SOTTOSOPRA
Davide Groppi, 2023




SOTTOSOPRA

Lamp not available for CN market.

Finish	Matt White D-Greige
Mounting	Suspension
Environment	Indoor
CCT- System flux	2700K ~ 228 (down) - 1827 (up) 3000K ~ 245 (down) - 1876 (up)
CRI	>80

Insulation class	I
Power	30 W LED
LED current	500 mA DC
Driver	Integrated
Dimming type	DALI - PUSH - 1/10 V

CE IP20




SOTTOSOPRA

Una lama di luce spessa solo 6 millimetri, espressione di una parte del nostro pensiero, quello più puro ed essenziale. La sorpresa di una lampada estremamente sottile ma al contempo molto luminosa, elemento di progetto razionale e funzionale.

A blade of light just 6 millimetres thick, the expression of that purest and most essential part of our thought. The surprise of an extremely thin, yet at the same time very bright, lamp, an element of a rational, functional project.

SOTTILE
Davide Groppi, 2023



SOTTILE

SOTTILE 1 not available for CN market.

Finish	Brushed Champagne Brushed Black Chrome
Mounting	Suspension
Environment	Indoor
CCT- System flux	2700K ~ 1300 lm 3000K ~ 1400 lm
CRI	80

SOTTILE 1



Insulation class	I
Frequency	50/60 Hz
Main voltage	110-240 V
Power	26 W LED
Driver	Integrated
Dimming type	DALI - PUSH - 1/10 V - TRIAC*

SOTTILE 2

Insulation class	III
Main voltage	24 V DC
Power	22 W LED
Driver	Remote
Remote dimming type	DALI - PUSH - 1/10 V - TRIAC

*TRIAC version not available for US market

CE IP20



Da sempre ci piace pensare in modo eretico, evocando mistero, magia e seduzione.

In questo caso, la lente non è usata per focalizzare, ma per modificare la visione e la percezione dell'oggetto.

L'effetto della lente convessa permette di celare la parte di emissione della luce e produce un leggerissimo effetto di sospensione e inconsistenza.

La luce e la trasparenza sono le vere protagoniste di questo progetto.


We have always liked to think heretically, evoking mystery, magic and seduction.

In this case, the lens is not used to focus, but to modify the vision and perception of the object.

The effect of the convex lens conceals the part of the light beam and produces the lightest effect of suspension and inconsistency. Light and transparency are the true stars of this project.

MAGIA

Michele Groppi, 2023



MAGIA

MAGIA 1 not available for CN market.

Finish	Polished Gold Polished Black Chrome
Mounting	Suspension
Environment	Indoor
CCT- System flux	2700K ~ 1770 lm 3000K ~ 1950 lm
CRI	90
Configuration	Max 3 modules

MAGIA 1



Insulation class	I
Frequency	50/60 Hz
Main voltage	110-240 V
Power	22 W LED
Driver	Integrated
Dimming type	DALI - PUSH - 1/10 V - TRIAC*

MAGIA 2

Insulation class	III
Main voltage	24 V DC
Power	19 W LED
Driver	Remote
Remote dimming type	DALI - PUSH - 1/10 V - TRIAC

*TRIAC version not available for US market

CE IP20



MAGIA

A dieci anni dalla presentazione della nostra prima lampada a batteria, abbiamo voluto aggiungere un nuovo sguardo alla luce senza fili, rimanendo unici e innovativi.

Abbiamo pensato, ancora una volta, di togliere, cercando solo la luce.

È nata una lampada trasparente, verità e bellezza.

Ten years after the presentation of our first battery lamp, we wanted to add a new idea of wireless light, remaining unique and innovative.

Once again, we decided to take away, seeking only the light.

A transparent lamp was born, truth and beauty.

VIS À VIS
Michele Groppi, 2023




VIS À VIS

Finish	Standard
Mounting	Table - Rechargeable
Environment	Indoor
CCT- System flux	2700K ~ 167 lm 3000K ~ 180 lm
CRI	>90

Insulation class	III
Main voltage	3,7 V
Power	2 W LED
LED current	4800 mAh
Battery life	9 hours
Battery type	Li-Poly
Charging socket	USB-C
Charger	Not included
Dimming type	Not dimmable

CE IP20



VIS À VIS

Un progetto di molti anni fa, oggi rieditato in versione wireless.
L'amore per il ready-made talvolta riaffiora, per soddisfare il mio
desiderio profondo di disegnare il meno possibile, prendendo
quello che c'è già.

A project from many years ago, today in a new wireless version.
The love for the ready-made sometimes resurfaces, to satisfy my
profound desire for designing as little as possible, taking what
exists already.

POST PRANDIUM
Davide Groppi, 2023




POST PRANDIUM

Lamp not available for US and CN market.

Finish	Polished Chrome
Mounting	Table - Rechargeable
Environment	Indoor
CCT- System flux	3000K ~ 180 lm
CRI	>90

Insulation class	III
Main voltage	3,7 V
Power	2 W LED
LED current	4800 mAh
Battery life	9 hours
Battery type	Li-Poly
Charging socket	USB-C
Charger	Not included
Dimming type	Not dimmable

CE IP20



POST PRANDIUM

Del classico lampadario in cristallo abbiamo salvato le gocce, grandi, scintillanti, sospese nel vuoto.

Una piccola macchina luminosa, con luce diretta e indiretta, moltiplica i riflessi del cristallo creando un meraviglioso effetto di magnificenza, trasposizione contemporanea di Versailles.

From the classic crystal chandelier, we saved the drops, those large, sparkling drops hanging in the air.

A small light machine, with direct and indirect light, multiplies the glass reflections to create a wonderful effect of magnificence, the contemporary transposition of Versailles.

LOUIS XIV
Davide Groppi, 2023




LOUIS XIV (Ricordo di un lampadario a gocce)

Finish	Polished Gold
Mounting	Suspension
Environment	Indoor
CCT- System flux	2700K ~ 228 lm (down) - 616 lm (up) 3000K ~ 245 lm (down) - 716 lm (up)
CRI	>90
Configuration	Diamond

Insulation class	III
Power	14 W LED
LED current	500 mA DC
Driver	Remote
Remote dimming type	DALI - PUSH - 1/10 V

CE IP20



Cinque coccodrilli si contendono la luce.

A volte devo lasciare correre la fantasia senza pensare se la lampada piacerà o se farà luce, in un esercizio creativo libero, dove gli aspetti compositivi e funzionali diventano secondari.

È il mio metodo per scoprire nuove forme di espressione, che portano a sorprese piacevoli, a scoperte inaspettate, a ricordi nostalgici.

Just like a light, un omaggio a un punto di riferimento eterno.

Five crocodiles compete for the light.

Sometimes I have to let my imagination run without thinking if people will like the lamp or if it will create light, in a free, creative exercise where the compositional and functional aspects become secondary.

This is my way of discovering new forms of expression, which lead to pleasant surprises, unexpected discoveries, nostalgic memories.

Just like a light, a homage to an eternal point of reference.

JUST LIKE A LIGHT

Davide Groppi, 2023





JUST LIKE A LIGHT (Omaggio non dichiarato)

Lamp not available for US and CN market.

Finish	Standard
Mounting	Table
Environment	Indoor
<hr/>	
Insulation class	III
Frequency	50/60 Hz
Main voltage	110-240 V
Driver	Indipendent
Dimming type	Dimmer on board

CE IP20



JUST LIKE A LIGHT

daidegroppi.com

Un ringraziamento speciale a:

Danord per l'arredamento scandinavo originale dell'epoca.

Tutto il team Davide Groppi per l'impegno, la fantasia, la passione.

Special thanks to:

Danord for its vintage Scandinavian design furniture.

Davide Groppi team for its dedication, creativity and passion.