




19000003	STANDARD	24 V DC - 66 W LED - 3000K - 7200 Im LED MODULE LENGTH 6 m - CAN BE CUT INTO ANY DESIRED LENGTH INCLUDES TWO BLACK TURNBUCKLES WITH WALL WHITE BACK PLATE LED DRIVER NOT INCLUDED - INSTALLATION OPTIONS SEE PAGE 38 - 39



19240003	MATT BLACK	24 V DC - 132 W LED - 3000K - 14400 lm LED MODULE LENGTH 12 m - CAN BE CUT INTO ANY DESIRED LENGTH INCLUDES TWO BLACK TURNBUCKLES WITH WALL WHITE BACK PLATE LED DRIVER NOT INCLUDED - INSTALLATION OPTIONS SEE PAGE 38 - 39







19020403	MATT BLACK	POWER SUPPLY WITH PLUG KIT - LED DRIVER WITH DIMMER ALONG THE CABLE INPUT 100 / 120 V - 50 / 60 Hz - OUTPUT 24 V DC TWO CLAMPS INCLUDED

5065051	STANDARD	REMOTE LED DRIVER MOUNTING - DALI DIMMABLE INPUT 100 / 120 V - 50 / 60 Hz - OUTPUT 24 V DC - 20 / 150 W
5065052 STANDARD	STANDARD	REMOTE LED DRIVER MOUNTING - 1 / 10 V DIMMABLE
		INPUT 100 / 120 V - 50 / 60 Hz - OUTPUT 24 V DC - 20 / 150 W

