


AJ Table

The fixture emits downward directed light. The angle of the shade can be adjusted to optimize light distribution. The shade is painted white on the inside to ensure a soft comfortable light.



Arne Jacobsen

Arne Jacobsen was born and raised in Copenhagen. In 1927, he graduated as an architect from the Royal Danish Academy of Fine Arts in Copenhagen. After graduating, he obtained his first job at the office of the City Architect of Copenhagen launching his own office only two years later.



Set location:
Alpha Dominche



Set location - The Qvest

Product info

Information

The white, original grey and pale rose versions are supplied with a white cable. The other versions are supplied with a black cable.

Mounting

Cable type: Plastic cord with plug. Cable length: 2.4m. Light control: Switch in lamp stand.

Finish

Stainless Steel, polished. White, Black, Aubergine, Dark Green, Dark Grey, Light Grey, Midnight Blue, Original Grey, Pale Petroleum, Pale Rose, Rusty Red, Ultra Blue, Yellow Ochre, wet painted.

Materials

Shade: Spun steel or stainless steel. Base: Die cast zinc or stainless steel. Stem: Steel or stainless steel.

Class

Ingress protection IP20. Electric shock protection II w/o ground

Specification notes

The white version is supplied with a white cable. The other versions are supplied with a black cable. The innovation of light sources is ongoing. Consequently we only inform about the max. wattages.

Light source

1x20W E27

Information

The white, original grey and pale rose versions are supplied with a white cable. The other versions are supplied with a black cable.

Product family



AJ Mini Table



AJ Royal



AJ Floor



AJ Wall



AJ 50 Wall



Product variants

Colour	Cable type	Light source
Aubergine	BLK PL	1x20W E27
Black	WHT PL	
Dark green		
Dark grey		
Light grey		
Midnight blue		
Original grey		
Pale petroleum		
Pale rose		
Rusty red		
Stainless steel polished		
Ultra blue		
White		
Yellow ochre		

Product description

Terse and iconic design
A semi-conical fixture head.
An arm fixed to a round mounting box holds the fixture head.
Fixture head pivots to direct light as needed.
Different colour variants.
Is a member of a product family for both outdoor and indoor.

Mounting

Portable fixture plugs into standard wall outlet.

Light description

The fixture emits glare free, directed light.
Terse and iconic design
Combined direct and indirect light ensures directed light with soft shadows
The shade is painted white on the inside to ensure a soft comfortable light distribution.

Design

Ame Jacobsen

Material

Fixture head and wall box: spun steel, 1. 5mm (0. 06") thick, wet painted.
Arm: extruded steel, 1. 5mm (0. 06") thick, wet painted.
Base: cast zinc plated steel, 1. 5mm (0. 06") thick.
Switch: on/off, phenolic, on base.
Socket: Porcelain, medium base for A-19, frosted envelope lamps.

Weight


Min: 2.134 kg Max: 3.117 kg

Finish


Aubergine, Black, Dark green, Dark grey, Light grey, Midnight blue, Original grey, Pale petroleum, Pale rose, Rusty red, Stainless steel polished, Ultra blue, White, Yellow ochre

Light distribution diagrams

Cartesian



Isolux



Polar

